



Scienxt Journal of Recent Trends in Drug Delivery System
Volume-2 || Issue-1 || Jan-June || Year-2024 || pp. 57-66

Proportional assessment of oral tablets having complex of cyclodextrin and BCS class II drugs

Avinash Gupta^{1*}, Vijay Sharma², Ashutosh Sharma³, Manish K. Gupta⁴,
Praveen Jaiswal⁵

¹Poddar International College of Pharmacy, Jaipur, Rajasthan, India

²Goenka College of Pharmacy, Lachhmangarh, Sikar, Rajasthan, India

³Jaipur College of Pharmacy, Jaipur, Rajasthan, India

⁴School of Pharmaceutical Sciences, Jaipur National University, Jaipur, Rajasthan, India

⁵Lords University, Alwar, Rajasthan, India

Abstract:

Today in Pharma area it turns into an extreme work to make a formula of active molecules having poor water dissolvability. This explanation that at present different beneficial active molecules don't go to the market because of less disintegration and at last less bioavailability. According to the BCS classifications drugs like Elvitegravir which has a place with class II have the less solvency and great penetrability. In this way, it turns into a basic test for a formulator, to figure these medications having the whimsical or non-uniform medication discharge profile, drug retention influenced by the food, and from one patient to another and non-uniform bioavailability all through the GIT. In the Pharmaceutical business, Complexation of poor watery dissolvable API with the Cyclodextrin is most alluring strategy for upgrading the medication dissolution. This procedure of medication complexation is likewise promptly acknowledged by the various administrative specialists. Cyclodextrins can oblige different lipophilic medications in its hydrophobic focal hole. These are torus molded design having external hydrophilic surface. These mixtures make the buildings with the lipophilic medications without change in their lipophilic property and their pharmacological properties. In the current investigation solubilization and delivery properties of Elvitegravir was attempted to upgrade by complexation with the β CD and HP β CD. Extend of drug complexation was analyzed through phase solubility method. End results were manufactured using the drug cyclodextrin complex and investigate for its physicochemical properties.

Keywords:

Complexation, Cyclodextrin, Water solubility, Bioavailability, Drug Release